

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

June 03, 2013

WELL WORK PERMIT

Vertical Well

This permit, API Well Number: 47-2105763, issued to HORIZON ENERGY CORPORATION, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chie

Operator's Well No: STEELE NO. 3

Farm Name: RADABAUGH, SHARON E., ET A

API Well Number: 47-2105763

Permit Type: Vertical Well

Date Issued: 06/03/2013

Promoting a healthy environment.

WV Dept. of Environmental Protection

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

				_		GILMER	0.3	365		
1) Well Operat	or HORI	ZON ENER	RGY CORPORATIO	N	3069494	021				
			•		Operator ID	Count	y District	Quadrangle		
2) Operator's Well Number: STEELE NO. 3 3) Elevation: 1055'										
4) Well Type: (4) Well Type: (a) Oil or Gasxx									
((b) If Gas: Production xx / Underground Storage									
Deep/ Shallow XX										
5) Proposed Target Formation(s): <u>BIG INJUN</u> , <u>5TH</u> Proposed Target Depth: <u>2925'</u> 6) Proposed Total Depth: <u>3200</u> Feet Formation at Proposed Total Depth: <u>5TH SAND</u> 7) Approximate fresh water strata depths: <u>300'</u> 8) Approximate salt water depths: <u>1100'</u>										
9) Approximate	e coal sea	m depth	s:310'							
10) Approxima	te void de	pths,(co	al, Karst, other):	NON	Е			41		
11) Does land	contain co	oal seam	s tributary to ac	tive mine	? <u>NO</u>					
12) Describe p	1.51		-							
DRILL	& STIMUI	LATE NEW	WELL					-		
2										
· · · · · · · · · · · · · · · · · · ·							-			
13)			ASING AND TU		OGRAM					
TYPE S	PECIFIC	<u>ATIONS</u>		FOOTA	GE INTE	RVALS	<u>CEMEN</u>	<u>T</u>		
	<u>Size</u>	<u>Grade</u>	Weight per ft	For Drill	ing Left in	n Well	Fill -up (Cu.	Ft.)		
Conductor	13 3/8	LS	36#	20'	NO		*			
Fresh Water	7	NS	17.5#	800'	80	0'	TO SURFAC	E.		
Coal										
Intermediate										
Production	4 1/2	ERW	10.5#		3075	5'	80 SKS			
Tubing					÷		Terrange .			
Liners							Hece	ive d		
S	ind izes epths Set			A	Mc Cou 5-8	3-13	MAY 1 3			
						10	010			

WW-2A (Rev. 6-07)

4) Surface Owner(s) to be served:

1). Date:			
2.) Operator's Well	l Number	STEELE	NO. 3
	State	County	Permit
3.) API Well No.:	47-	021 -	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE AND APPLICATION FOR A WELL WORK PERMIT

5) (a) Coal Operator

(a) Name	SHARON RADABAUGH	ivame
Address	P.O. BOX 143	Address
	SAND FORK, WV 26430	
(b) Name	JEFFERY STEELE	(b) Coal Owner(s) with Declaration
Address	1779 SLIDING RUN ROAD	Name
7	BURNSVILLE, WV 26335	Address
	BORNS VILLE, WV 2033)	/
(c) Name	PATRICIA LOWTHER	Name .
Address	28 SUN VALLEY LANE	Address
	GLENVILLE, WV 26351	
6) Inspector	JOE MCCOURT	(c) Coal Lessee with Declaration
Address	P.O. BOX 2657	Name
	BUCKHANNON, WV 26201	Address
Telephone	(304) 380-2467	
9.9		MED ABOVE TAKE NOTICE THAT:
Included is th		contract or contracts by which I hold the right to extract oil and gas
OR		
		2, Article 6, Section 8(d) of the Code of West Virginia (see page 2)
		of the West Virginia Code I have served copies of this notice and
		ents pages 1 through on the above named parties by:
	X Personal Service (Affidavit atta	
	XX Certified Mail (Postmarked pos	
. have 200	Publication (Notice of Publication	
issued under this		d 35 CSR 4, and I agree to the terms and conditions of any permit
		onally examined and am familiar with the information submitted on
		ased on my inquiry of those individuals immediately responsible for
	mation, I believe that the information	
l am awar	e that there are significant penalties	for submitting false information, including the possibility of fine and
imprisonment.		
AUTHORN OFF	Well Operator	HORIZON ENERGY CORPORATION
STATE OF	F WEST VIRGINIA BY:	ROBERT R. JONES II
	ARY PUBLIC Its: A L. BEAMER Address	PRESIDENT
TSO COL	LLINS RUN ROAD Address	P.O. BOX 111
GLENV	VILLE, WV 26351 In expires May 31, 2020 Telephone	SAND FORK, WV 26430
	traditional from the same of t	(304) 462-5758
Subscribed and sv	vorn before me this 7+1 day of	May , 2013
M onne	· P Brames	Notary PubliceCe Ved
My Commission E		2020
Oil and Gas Privacy N		
The Office of Oil and G	Sas processes your personal information	such as name, address and phone number, as a part of our regulatory duties.
,,,, omitte of on and c	P. 1000000 Jour Poroonal miormation,	, and pront manipol, as a part of our regulatory duties.

Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Office Pass

Operators viell radiiber Street MO.	Operator's	Well	Number	STEELE	NO.
-------------------------------------	------------	------	--------	--------	-----

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6, Section 8(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that —

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
J.M. GARRETT	U.S.E.C.	1/8	232/395
U.S.E.C.	CONTINENTAL PETROLEUM	1/8	394/487
CONTINENTAL PETROLEUM	AAA ENERGY	1/8	420/545
AAA ENERGY	CONTINENTAL PETROLEUM	1/8	384/374
CONTINENTAL PETROLEUM	HORIZON ENERGY	1/8	DRILLING AGREEMT NOT RECORDED

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP. Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	HORIZON ENERGY CORPORATION	
By:	ROBERT R. JONES II MAY 1 2 2012	
Its:	PRESIDENT	



AGREEMENT

Continental Petroleum, LLC hereby authorizes and assigns drilling and operating rights to Horizon Energy Corporation to enter upon the Steele 72 acres lease located in Glenville District, Gilmer County, West Virginia and drill the following wells:

Steele No. 1

Steele No. 2

Steele No. 3

This agreement will terminate with the exploration date of the state drilling permits acquired in 2013.

CONTINENTAL PETROLEUM, LLC

Robert R. Jones

ITS: Member-Manager

MAY 1 3 2013

Office of Oil and Gas WV Dept. of Environmental Protection

	~	•		٠.	- 4
W	/\	N	-2	2t	37

Well No.	STEELE	NO.	3	
----------	--------	-----	---	--

West Virginia Department of Environmental Protection Office of Oil and Gas

NOTICE TO SURFACE OWNERS

The well operator named below is preparing to file for a permit from the state to drill a new well. Before a well work permit can be filed with the Chief of the Office of Oil and Gas, the well operator is required to have given notice of the right to request water well or spring analytical testing. This notice shall be given to the owners or occupants of land which have a water well or spring being utilized for human consumption, domestic animals, or other general use and which is located within 1000 feet of the proposed well site.

With this form, the operator is giving you notice of your right to request analytical testing. The operator is required to sample and analyze the water wells or springs of all owners or occupants who request it. Therefore, if you wish to have your water well or spring tested, contact the operator named below.

All sampling shall be completed prior to drilling. Within thirty (30) days of the receipt of such sample analyses the operator shall submit the results to the Chief of the Office of Oil and Gas and to the owners or occupants who may have requested them.

If no water well or spring is located within 1000 feet, the Chief may require the operator to sample and analyze water from a water well or spring within 2000 feet of the proposed well site.

Be advised, you have the right to sample and analyze any water supply at your own expense.

The laboratory used by the operator to analyze the samples will be approved by the Chief. The operator named below has decided to use the following laboratory to analyze the water samples:

xx Contractor Name	· .	STURM ENIVRONMENTAL
Well operator's pri	vate laboratory	
Well Operator	HORIZON ENERGY	CORPORATION
Address	P.O. BOX 111	- · · · · · · · · · · · · · · · · · · ·
	SAND FORK, WV	26430
Telephone	304-462-5758	

FOR OPERATOR'S USE ONLY: Below, or on an attached page, list those persons which were given this notice. Place an asterisk beside the one(s) that contacted you and requested sampling and analyses. If there were no requests made, indicate by underling which one you have selected to sample and analyze. If there are no water wells or springs within 1000 feet of the proposed site please indicate such.

THERE ARE NO WATER WELLS WITHIN 1000' OF THE PROPOSED WELL LOCATION MAY 1 3 2013

	Page		of	
API Number 47	- 021	-		
Operator's Well 1	No. Ste	ele	No	3

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

OLIVLICAL I ERIVII I I	OR OIL AND GAS FIT W	ASTE DISCHARGE	,
Operator Name Horizon Energy Corp.		OP Code306	949
Watershed Sliding Run	Quadrangle _	Gilmer 7.5'	
Elevation 1055' County_	Gilmer	DistrictGler	nville
Description of anticipated Pit Waste: Water Enco	untered During Dr	illing	v.
Do you anticipate using more than 5,000 bbls of water			No _X
Will a synthetic liner be used in the pit? Yes	If so, what mil.?	4 20 MIL.	
Proposed Disposal Method For Treated Pit Wastes: X Land Application Underground Injection (UI Reuse (at API Number Off Site Disposal (Supply f Other (Explain	form WW-9 for disposal lo	cation)	•
Drilling medium anticipated for this well? Air, freshw			
-If oil based, what type? Synthetic, petroleum	, etc. <u>N/A</u>		
Additives to be used? N/A Drill cuttings disposal method? Leave in pit, landfill, r	emoved offsite, etc. Lea	ave in Pit	
-If left in pit and plan to solidify what medium -Landfill or offsite name/permit number?	will be used? Cement, lin	me, sawdust N/A	
I certify that I understand and agree to the ter on August 1, 2005, by the Office of Oil and Gas of the provisions of the permit are enforceable by law. Viol law or regulation can lead to enforcement action. I certify under penalty of law that I have perapplication form and all attachments thereto and the obtaining the information, I believe that the information penalties for submitting false information, including the Company Official Signature	West Virginia Department ations of any term or cond ersonally examined and an at, based on my inquiry tion is true, accurate, and	of Environmental Prote lition of the general per m familiar with the info of those individuals in complete. I am aware	ection. I understand that the mit and/or other applicable ormation submitted on this namediately responsible for
Company Official (Typed Name) Robert R. 3	Jones, II		
Company Official Title Designated	Agent		Received
Subscribed and sworn before me this 7+ d	ay of May	, 20 <u>13</u>	MAY 1 3 2013
Monna Ca Beam	دو	Notary Public M	Office of Oil and Gas W Dept of Environment Plotection
My commission expires <u>May 31</u>			OFFICIAL SEAL STATE OF WEST VIRGINIA NOTARY PUBLIC MONNA L. BEAMER 730 COLLINS RUN ROAD GLENVILLE, WV 26351 My commission expires May 31, 2020

Property Boundary	
	Diversion (2011) 1111111111111111111111111111111111
Road = = = = = = = = =	Spring -
Existing Fence — X — X — X —	Wet Spot
Planned Fence///	Drain Pipe with size in inches
Stream	Waterway \longleftrightarrow
Open Ditch	Cross Drain
Rock 85588	Artificial Filter Strip
North N	Pit: cut walls
Buildings	Pit: compacted fill walls
Water wells	Area for Land Application of Pit Waste
Drill site	
Proposed Revegetation Treatment: Acres Disturbed1±	Prevenetation nH 5 5
Troposed Revegetation Treatment. Acres Distanced	11070g0tation p11
Lime 2 Tons/acre or to correct to pH	6.5
Fertilizer (10-20-20 or equivalent) 500 lbs/a	cre (500 lbs minimum)
Mulch 2 Tons/ac	re
Seed	Mixtures
Area I	Area II
Seed Type lbs/acre "Wildelife Mix"	Seed Type lbs/acre
Various Clovers 30%	Same
White Millet 20%	•
Yellow Blossum 10%	
D:3_CL MC:1 1/0.	
Birdsfoot Trefoil 10%	
Birdsfoot Trefoil 10%	
— Rye — 15%	:
Rye 15% Orchard Grass 15% Attach:	antion
Rye 15% Orchard Grass 15%	cation.
Rye 15% Orchard Grass 15% Attach:	cation.
Rye 15% Orchard Grass 15% Attach: Drawing(s) of road, location,pit and proposed area for land appli	cation.
Rye 15% Orchard Grass 15% Attach: Drawing(s) of road, location,pit and proposed area for land appli	cation.
Rye 15% Orchard Grass 15% Attach: Drawing(s) of road, location,pit and proposed area for land appli	cation.
Rye 15% Orchard Grass 15% Attach: Drawing(s) of road, location,pit and proposed area for land applic Photocopied section of involved 7.5' topographic sheet. Plan Approved by: A M County A M Count	nd belon nia arrives.
Rye 15% Orchard Grass 15% Attach: Drawing(s) of road, location,pit and proposed area for land appli Photocopied section of involved 7.5' topographic sheet.	nd belon nia arrives.
Rye 15% Orchard Grass 15% Attach: Drawing(s) of road, location,pit and proposed area for land applic Photocopied section of involved 7.5' topographic sheet. Plan Approved by: A M County A M Count	
Rye 15% Orchard Grass 15% Attach: Drawing(s) of road, location,pit and proposed area for land applic Photocopied section of involved 7.5' topographic sheet. Plan Approved by: A M County A M Count	nd before rig arrives. Received
Rye 15% Orchard Grass 15% Attach: Drawing(s) of road, location,pit and proposed area for land applic Photocopied section of involved 7.5' topographic sheet. Plan Approved by: A M County A M Count	nd belon nia arrives.
Rye 15% Orchard Grass 15% Attach: Drawing(s) of road, location,pit and proposed area for land applic Photocopied section of involved 7.5' topographic sheet. Plan Approved by: A M County A M Count	nd before rig arrives. Received

Note: Topsoil to be stockpiled Horizon Energy Corp. Steele Lease 72 Ac. No. 3 for use later in reclaiming (begin waw construction Surface Owner: Sharon E. Radabaugh steele NO. 1: Sec PH 4D), 400 MAY 1 3 2013 Office of Oil and Gas WV Dept. of Environmental Frotection

Horizon Energy Corp.	Note: Topsoil to be stockpiled		
Burke Lease 160-2 Ac. No. 6	for use later in reclaiming		
Surface Owner: Linda Cottril	location site!		
Horizon Energy Corp. Bucke No. 6	O DO		
Existing well Road II with existing Culverts To and Cross Prains To	150 AMCCount 5-8-13		
2086, 3	Road Grades X-Drains Dt 2% for 500' Every 250 (2) + 20% " 600' " 45' (3) ± 4% " 500' " 165		
	9+15% " 400" " 60" S F/9+ " 150 ~0-		
	(D+12% 1 225' 11 70' (D-15% 11 300' 11 60'		
blo gristing	(B) ± 3% " 250' 11 190'		
10 Estone 9100	6-6% Feelived 125		
== Siding Run	MAY 1 3 2013		
	W/V Dept of Environme Intection		

This will be attached to the permit and becomes a part of the permitted activity.

- 1. Percent (%) of slope and distance of the road must be shown on the plan on all sections of the road from the location to the county road with the county road designation shown as. E.g.
- 2. Temporary seeding and mulching will be applied to all slopes and cuts on road and location upon construction.
- 3. All trees 6" and above will be cut and stacked away from any fill before dirt work begins or as construction progresses.
- 4. Cut and windrow all brush, stumps, and tree tops below fill areas on road and location for sediment control.
- 5. Ditchlines or diversion ditches will be established where ever water is to be coming from the cut areas on road and location.
- 6. Culverts will be used upon construction to get rid of all ditchline water and any other running water coming into the roadway. (Spacing to be as per Sediment and Eroision Control Manuel). Headwalls will be established and maintained at the culvert entrance. Sediment control will be established at the outlets by using hay bales or brush or any other method approved by the Inspector.
- 7. Natural and/or man made filter strips will be maintained based on the distance and slope from construction to the stream as per Sediment and Erosion Control Manuel.
- 8. Upon Reclamation use cross ditches or water bars for road surface water control only (not for ditchline water). All outlets will have sediment control by using staked hay bales or brush. Spacing will be as follows based on the slope of the sections of road:

% of slope	Spacing Cross Ditches.	% of slope	Spacing Broad Based Dips	
1 `	400 ft.	•	2	300 ft.
2	250 ft.		3	235 ft.
5	135 ft.		4	200 ft.
10	80 ft.		5	180 ft.
15	60 ft.		6	165 ft.
20 45 ft.		7	155 ft.	
		8	150 ft.	
		9	145 ft.	
			10	140 ft

- 9. The minimum amount of materials to be used for reclamation will be as shown on the plan. The Ph of the soil is to be determined prior to construction and shown on the plan.
- 10 A liner will be used for the Pit.

MAY 1 3 2013



